



- impressM websites, impressive results •
- Web Development & Design •
- Search Engine Optimization (SEO) •
- Hosting & Corporate eMail •
- Joomla! CMS Web sites •

impressM LLC
1719 Route 10
Parsippany, NJ 07054
973-663-6002 • <http://www.impressm.com/>

⚠ *Simpler Login for Virtuemart*

Changes on VM HTML

File:

/httpdocs/administrator/components/com_virtuemart/html/checkout_register_form.php

Replace all the content:

```
<?php
if( !defined( ' _VALID_MOS' ) && !defined( ' _JEXEC' ) ) die( 'Direct Access to
'.basename(__FILE__).' is not allowed.' );
/**
 *
 * @version $Id: checkout_register_form.php 1478 2008-07-17 19:58:45Z gregdev $
 * @package VirtueMart
 * @subpackage html
 * @copyright Copyright (C) 2004-2008 soeren - All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * VirtueMart is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See /administrator/components/com_virtuemart/COPYRIGHT.php for copyright notices and
 * details.
 *
 * http://virtuemart.net
 */
mm_showMyFileName( __FILE__ );
global $mosConfig_allowUserRegistration, $mosConfig_useractivation;
require_once( CLASSPATH . "ps_userfield.php" );
require_once( CLASSPATH . "htmlTools.class.php" );

$missing = vmGet( $_REQUEST, "missing", "" );

if ( !empty( $missing ) ) {
    echo "<script type=\"text/javascript\">alert('".$VSM_LANG-
>_('CONTACT_FORM_NC',false)."' ); </script>\n";
}

// If not using NO_REGISTRATION, redirect with a warning when Joomla doesn't allow user
registration
if ( $mosConfig_allowUserRegistration == "0" && VM_REGISTRATION_TYPE != 'NO_REGISTRATION' ) {
    $msg = 'User registration is disabled, it must be enabled in order to proceed.';
    vmRedirect( $sess->url( 'index.php?page='.HOMEPAGE, true, false ), $msg );
    return;
}

if( vmIsJoomla( '1.5' ) ) {
    // Set the validation value
    $validate = JUtility::getToken();
} else {
    $validate = function_exists( 'josSpoofValue' ) ? josSpoofValue(1) :
vmSpoofValue(1);
}
```

```
}

$fields = ps_userfield::getUserFields('registration', false, '', false );
// Read-only fields on registration don't make sense.
foreach( $fields as $field ) $field->readonly = 0;
$skip_fields = array();

if ( $my->id > 0 || (VM_REGISTRATION_TYPE != 'NORMAL_REGISTRATION' && VM_REGISTRATION_TYPE
!= 'OPTIONAL_REGISTRATION'
                                && ( $page == 'checkout.index'
|| $page == 'shop.registration' ) ) ) {
    // A listing of fields that are NOT shown
    $skip_fields = array( 'username', 'password', 'password2' );
    if( $my->id ) {
        $skip_fields[] = 'email';
    }
}

/*****
*****/
/***** CHECKOUT SIMPLIFIED (GET)
*****/
/*****

if(isset($_GET["EmailCheck"]) && isset($_GET["Email"])) {
    //echo $_GET["EmailCheck"];
    //echo $_GET["Email"];

    if(!empty($_GET["Email"])) {
        $email = trim($_GET["Email"]);

        if(ereg("^[_a-z0-9-]+(\.[_a-z0-9-]+)*@[a-z0-9-]+(\.[a-z0-9-]+)*(\.[a-
z]{2,3})$", $email)) {
            $q = "SELECT * FROM #__users where `email`='". $email . "'";
            $db = new ps_DB;
            $db->query($q);
            echo "<br>";
            if ($db->next_record()) {

                echo "<br><div id='AlreadyExists'><img
src='". $mosConfig_absolute_url . "/images/alerticon.gif'> You are a returning customer,
please Log In.

                <br>
                <br>
                <a href='lost-password.html?emaildefault=$email'>Forgot
Password?</a>

                <br>
                <a href='go-through-checkout-
process.html?redirected=1&checkedmail=1'>Create a new account with a different e-mail
address</a>

                </div>";
            }
            else {
                echo "<a href='go-through-checkout-
process.html?redirected=1&checkedmail=1&emaildefault=$email'>Proceed to Complete Your
Billing Information</a>";
                //header("Location: go-through-checkout-
process.html?redirected=1&checkedmail=1");
                /*echo "<script
language='JavaScript'>window.location.href='go-through-checkout-
process.html?redirected=1&checkedmail=1';</script>";*/
            }
        }
        else
        {
            echo "Invalid email address";
        }
    }
    else
    {
        echo "insert an e-mail";
    }
}
}
```

```
die;
}

/*****
***** CHECKOUT SIMPLIFIED
*****
*****/

$checkout_simplified = 1;

$page = $_GET["page"];
$checkedmail = $_GET["checkedmail"];
$emaildefault = $_GET["emaildefault"];

if($checkout_simplified == 0 || $page == "shop.registration" || $checkedmail == 1) {
    // regular register

    ps_userfield::listUserFields( $fields, $skip_fields, null, true, $emaildefault );

    echo '<div align="center">';

    if( !$mosConfig_useractivation && @VM_SHOW_REMEMBER_ME_BOX && VM_REGISTRATION_TYPE
== 'NORMAL_REGISTRATION' ) {
        echo '<input type="checkbox" name="remember" value="yes" id="remember_login2"
checked="checked" />
        <label for="remember_login2">'. $VM_LANG->_('REMEMBER_ME') .'</label><br
/><br />';
    }
    else {
        if( VM_REGISTRATION_TYPE == 'NO_REGISTRATION' ) {
            $rmbr = '';
        } else {
            $rmbr = 'yes';
        }
        echo '<input type="hidden" name="remember" value="'. $rmbr .' />';
    }
    echo '

    <input type="hidden" name="lists[]"
value="http://api.constantcontact.com/ws/customers/crispygreen/lists/1" id="chk_0" />

    <input type="submit" value="'. $VM_LANG->_('BUTTON_SEND_REG') . '"
class="button" onclick="return( submitregistration());" />
</div>
<input type="hidden" name="Itemid" value="'. $sess->getShopItemid() .' />
<input type="hidden" name="gid" value="'. $my->gid .' />
<input type="hidden" name="id" value="'. $my->id .' />
<input type="hidden" name="user_id" value="'. $my->id .' />
<input type="hidden" name="option" value="com_virtuemart" />
<input type="hidden" name="'. $validate . '" value="1" />
<input type="hidden" name="useractivation" value="'. $mosConfig_useractivation .'
/>

<input type="hidden" name="func" value="shopperadd" />
<input type="hidden" name="page" value="checkout.index" />
</form>';
}
else
{
    // Updated by pvilallon (checkout simplified)

    echo "<div style='margin-left:20px'>";
    echo "<label for='EmailCheck'>E-mail:&nbsp;&nbsp;&nbsp;</label>";
    echo "<input type='text' class='inputbox' id='EmailCheck'>";
    echo "&nbsp;&nbsp;&nbsp;";
    $image_loading = "<br><img
src='\".$mosConfig_absolute_url.\"/images/preloader.gif'>&nbsp;&nbsp;";
    echo "<input type='button' class='button' value='Continue'
onclick='\"$('ResultCheck').setHTML('\".$image_loading.\"Loading..');$('ResultCheck').setStyle(
'height','750px')";

```

```
new Ajax('go-through-checkout-process.html?redirected=1&EmailCheck=true', {
    method: 'get',
    data: { 'Email' : document.getElementById('EmailCheck').value },
    onComplete: function(text) { $('ResultCheck').setHTML(text);
    }
}).request();

\>";
echo "</div>";

echo "<div id='ResultCheck' style='width:600px;height:200px;'></div>";
}

//end checkout simplification
?>
```

File:

/htdocs/administrator/components/com_virtuemart/html/checkout.index.php

On line that reads:

```
// user is not logged in
echo $theme->fetch( 'checkout/login_registration.tpl.php' );
```

– Replace with:

```
// user is not logged in
//updated by pvillalon
if(!isset($_GET["EmailCheck"]) && !isset($_GET["Email"])){
    echo $theme->fetch( 'checkout/login_registration.tpl.php' );
}
else{
    echo $theme->fetch( 'checkout/login_registration_emailcheck.tpl.php' );
}
```

Changes on VM Template

File:

/htdocs/components/com_virtuemart/themes/{*select theme, for ex.*

{*default*}/templates/checkout/login_registration.tpl.php

On line 22 where it reads:

```
$open_to_stretcher = !isset($_POST['func']) ? '0' : '1';
```

Replace with:

```
if(vmGet($_REQUEST,'checkedmail')== '1'){
    $open_to_stretcher = !isset($_POST['func']) ? '1' : '0';
}
else{
    $open_to_stretcher = !isset($_POST['func']) ? '0' : '1';
}
```

Create a new file in the same directory with the name:

/htdocs/components/com_virtuemart/themes/{*select theme, for ex.*

{*default*}/templates/checkout/login_registration_emailcheck.tpl.php

```
<?php
if( !defined( ' _VALID_MOS' ) && !defined( ' _JEXEC' ) ) die( 'Direct Access to
'.basename(__FILE__).' is not allowed. ' );

// If we have a POST value for "func", we were obviously directed here, because a
validation error
// occured during registration. So, let's show the Registration Details Stretcher first
// Otherwise the Login Form will be shown by default
$open_to_stretcher = !isset($_POST['func']) ? '0' : '1';
$show_login = VM_REGISTRATION_TYPE == 'NO_REGISTRATION' ? 0 : 1;
?>
<?php include(PAGEPATH. 'checkout_register_form.php'); ?>
```

Change:

/htdocs/components/com_virtuemart/themes/{*select theme, for ex.
'default'*}/templates/common/login_form.tpl.php

```
<?php
if( !defined( ' _VALID_MOS' ) && !defined( ' _JEXEC' ) ) die( 'Direct Access to
'.basename(__FILE__).' is not allowed.' );
/**
 *
 * @version $Id: login_form.tpl.php 1359 2008-04-07 20:02:17Z soeren_nb $
 * @package VirtueMart
 * @subpackage templates
 * @copyright Copyright (C) 2008 soeren - All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * VirtueMart is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See /administrator/components/com_virtuemart/COPYRIGHT.php for copyright notices and
 * details.
 *
 * http://virtuemart.net
 */
if( vmIsJoomla('1.5')) {
    if(vmGet($ _REQUEST,'tmpl') == 'component') {
        $lostPwUrl = JRoute::_ (
'index.php?option=com_user&view=reset&tmpl=component' );
    } else {
        $lostPwUrl = JRoute::_ ( 'index.php?option=com_user&view=reset' );
    }
} else {
    $lostPwUrl = sefRelToAbs(
basename($ _SERVER['PHP_SELF']).'?option=com_registration&task=lostPassword' );
}

$seted_values = true;

if(isset($ _GET["username"])) {
    $username_set = $ _GET["username"];
}
else {
    $username_set = "";
    $seted_values = false;
}

if(isset($ _GET["password"])) {
    $password_set = $ _GET["password"];
}
else {
    $password = "";
    $seted_values = false;
}

?>
<form action="<?php echo $action ?>" method="post" name="login" style="margin-left:20px;">
    <?php
        if($seted_values) {
            echo "<div style='visibility:hidden;'>";
        }
    ?>
    <label for="username_login"><?php echo $VM_LANG->_ ('USERNAME') ??:</label>
    <input type="text" id="username_login" value = '<?=$username_set?>' name="username"
class="inputbox" size="20" />
    <br />
    <br />
    <label for="passwd_login"><?php echo $VM_LANG->_ ('PASSWORD') ??:</label>
    <input type="password" id="passwd_login" value = '<?=$password_set?>' name="passwd"
class="inputbox" size="20" />
    (<a title="<?php echo $VM_LANG->_ ('LOST_PASSWORD'); ??" href="<?php echo $lostPwUrl;
?>"><?php echo $VM_LANG->_ ('LOST_PASSWORD'); ?></a>)
    <br />
    <br />
    <?php
```

```
        if($seted_values) {
            echo "</div>";
            echo "<input type='submit' style='margin-top:-
55px;position:absolute;' name='Submit' class='button' value=\"Log In as ".$username_set.\"
/>";
        }
        else {
            echo "<input type='submit' name='Submit' class='button'
value=\"".$VVM_LANG->_('BUTTON_LOGIN')."\" />";
            if( @VVM_SHOW_REMEMBER_ME_BOX == '1' ) {
                echo "<br />";
                echo "<input type='checkbox' name='remember'
id='remember_login' value='yes' checked='checked' />";
                echo "<label for='remember_login'>".$VVM_LANG-
>_('REMEMBER_ME')."</label>";
            }
            else {
                echo "<input type='hidden' name='remember' value='yes' />";
            }
        }
    }
}

?>

<input type="hidden" name="op2" value="login" />
<input type="hidden" name="lang" value="<?php echo vmIsJoomla() ? $mosConfig_lang :
$GLOBALS['mosConfig_locale'] ?>" />
<input type="hidden" name="return" value="<?php echo $return_url ?>" />
<input type="hidden" name="<?php echo $validate; ?>" value="1" />
</form>
```

Changes on Joomla Core for reset password

Changes on the controller:

/htdocs/components/com_user/controller.php

Change the Method completeReset() for:

```
function completeReset()
{
    // Check for request forgeries
    JRequest::checkToken() or jexit( 'Invalid Token' );

    // Get the input
    $password1 = JRequest::getVar('password1', null, 'post', 'string',
JREQUEST_ALLOWRAW);
    $password2 = JRequest::getVar('password2', null, 'post', 'string',
JREQUEST_ALLOWRAW);

    // Get the model
    $model = &$this->getModel('Reset');

    if ($model->completeReset($password1, $password2) === false)
    {
        return false;
    }
}
```

Changes on the model:

/htdocs/components/com_user/models/reset.php

Change the Method completeReset() for:

```
function completeReset($password1, $password2)
{
    jimport('joomla.application.component.controller');
    jimport('joomla.user.helper');

    global $mainframe;
```

```
// Make sure that we have a password
if ( ! $password1 )
{
    $this->setError(JText::_('MUST_SUPPLY_PASSWORD'));
    return false;
}

// Verify that the passwords match
if ($password1 != $password2)
{
    $this->setError(JText::_('PASSWORDS_DO_NOT_MATCH_LOW'));
    return false;
}

// Get the necessary variables
$db = &JFactory::getDBO();
$id = $mainframe->getUserState($this->_namespace.'id');
$token = $mainframe->getUserState($this->_namespace.'token');
$salt = JUserHelper::genRandomPassword(32);
$crypt = JUserHelper::getCryptPassword($password1, $salt);
$password = $crypt.'.'.$salt;

// Get the user object
$user = new JUser($id);

// Fire the onBeforeStoreUser trigger
JPluginHelper::importPlugin('user');
$dispatcher = &JDispatcher::getInstance();
$dispatcher->trigger('onBeforeStoreUser', array($user->getProperties(),
false));

// Build the query
$query = 'UPDATE #__users'
        . ' SET password = '.$db->Quote($password)
        . ' , activation = ""'
        . ' WHERE id = '.(int) $id
        . ' AND activation = '.$db->Quote($token)
        . ' AND block = 0';

$db->setQuery($query);

// Save the password
if (!$result = $db->query())
{
    $this->setError(JText::_('DATABASE_ERROR'));
    $message = JText::sprintf('PASSWORD_RESET_FAILED', $model-
>getError());
    $mainframe-
>redirect('index.php?option=com_user&view=reset&layout=complete', $message);
    return false;
}

// Update the user object with the new values.
$user->password = $password;
$user->activation = '';
$user->password_clear = $password1;

// Fire the onAfterStoreUser trigger
$dispatcher->trigger('onAfterStoreUser', array($user->getProperties(), false,
$result, $this->getError()));

// Flush the variables from the session
$mainframe->setUserState($this->_namespace.'id', null);
$mainframe->setUserState($this->_namespace.'token', null);

$message = JText::_('PASSWORD_RESET_SUCCESS');
$mainframe->redirect('go-through-checkout-
process.html?redirected=1&username='.urlencode($user-
>username).'&password='.urlencode($user->password_clear), $message);
return true;
}
```

Change on the reset password template

/httpdocs/components/com_user/views/reset/tmpl/default.php

Replace with:

```
<?php defined('_JEXEC') or die; ?>


<?php if ( $this->params->def( 'show_page_title', 1 ) ) : ?>
    <div class="componentheading"<?php echo $this->params->get( 'pageclass_sfx' ); ?>">
        <?php echo $this->escape($this->params->get('page_title')); ?>
    </div>
<?php endif; ?>
<?php
if (isset($_GET["emaildefault"])) {
    $emaildefault = $_GET["emaildefault"];
}
else {
    $emaildefault = "";
}
?>

<form action="<?php echo JRoute::_('index.php?option=com_user&task=requestreset' ); ?>"
method="post" class="josForm form-validate">
    <table cellpadding="0" cellspacing="0" border="0" width="100%" class="contentpane">
        <tr>
            <td colspan="2" height="40">
                <p><?php echo JText::_('RESET_PASSWORD_REQUEST_DESCRIPTION');
?></p>
            </td>
        </tr>
        <tr>
            <td height="40">
                <label for="email" class="hasTip" title="<?php echo
JText::_('RESET_PASSWORD_EMAIL_TIP_TITLE'); ?>:<?php echo
JText::_('RESET_PASSWORD_EMAIL_TIP_TEXT'); ?>"><?php echo JText::_('Email Address');
?>:</label>
            </td>
            <td>
                <input id="email" name="email" type="text"
value="<?=$emaildefault?>" class="required validate-email" />
            </td>
        </tr>
    </table>

    <button type="submit" class="validate"><?php echo JText::_('Submit'); ?></button>
    <?php echo JHTML::_('form.token' ); ?>
</form>
```

Add the error image

Copy the image (a icon) "alerticon.gif" to "/images/alerticon.gif"

ICON: 

We provide this icon, but this can be changed by anything you want.